



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx BAS 06.0001X issue No.:7

Status: **Current**

Date of Issue: 2016-12-02 Page 1 of 4

Applicant: **Wolf Safety Lamp Company Ltd**
Saxon Road Works
Sheffield
S8 0YA
United Kingdom

Certificate history:
Issue No. 7 (2016-12-2)
Issue No. 6 (2015-8-3)
Issue No. 5 (2011-6-21)
Issue No. 4 (2009-11-27)
Issue No. 3 (2007-12-10)
Issue No. 2 (2007-9-19)
Issue No. 1 (2007-1-24)

Equipment: **Wolf Rechargeable Torch R-5X**
Optional accessory:

Type of Protection: **Intrinsic safety, Inherently Safe Optical Radiation**

Marking: **R-5X (where X < 5):-**
Ex ib op is I Mb / IIC T3/T4 Gb (-20°C/-30°C/-40°C ≤ Ta ≤ +40°C)
Ex ib op is IIIB T200°C Db

R-5X (where X ≥ 5):-
Ex ia op is I Ma / IIC T3/T4 Ga (-20°C/-30°C/-40°C ≤ Ta ≤ +40°C)
Ex ia op is IIIB T200°C Da

The lower certification temperature marked on each torch is dependant on the torch body material used.

Approved for issue on behalf of the IECEx
Certification Body:

R S Sinclair *PP DBREANLEY*

Position:

Technical Manager

Signature:
(for printed version)

DBreanley
5/12/16

Date:

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

SGS Baseefa Limited
Rockhead Business Park
Staden Lane
Buxton, Derbyshire, SK17 9RZ
United Kingdom





IECEX Certificate of Conformity

Certificate No.: IECEx BAS 06.0001X

Date of Issue: 2016-12-02

Issue No.: 7

Page 2 of 4

Manufacturer: **Wolf Safety Lamp Company Ltd**
Saxon Road Works
Sheffield
S8 0YA
United Kingdom

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Edition: 6.0	Explosive atmospheres - Part 0: General requirements
IEC 60079-11 : 2011 Edition: 6.0	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
IEC 60079-28 : 2015 Edition: 2	Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

GB/BAS/ExTR06.0024/00
GB/BAS/ExTR10.0148/00

GB/BAS/ExTR07.0107/00
GB/BAS/ExTR15.0050/00

GB/BAS/ExTR09.0196/00
GB/BAS/ExTR16.0256/00

Quality Assessment Report:

GB/BAS/QAR06.0017/07



IECEX Certificate of Conformity

Certificate No.: IECEx BAS 06.0001X

Date of Issue: 2016-12-02

Issue No.: 7

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The Wolf Rechargeable Torch R-5X uses a single LED and rechargeable battery with an electronic control circuit housed in a right-angled anti-static thermoplastic body. The rubber armoured lens ring and end cap retain either a coated polycarbonate or toughened glass lens.

The enclosure provides an ingress protection level of IP67. The right-angle body arrangement incorporates a replaceable thermoplastic belt clip for hands-free use.

The Rechargeable Torch R-5X must be charged in a non-hazardous area with a charger having an output voltage not exceeding 14V: $U_o = 14V$

The model number may be followed by a further suffix for operational purposes.

Primary cell versions may use only the following cell types:- any R6/AA size zinc-chloride or zinc-carbon cells, or LR6/AA size batteries of type Duracell Plus, Duracell Procell, Duracell Industrial, Energizer Ultra+ or Energizer Industrial.

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. Dust layers must be prevented from building up on the equipment.
2. The equipment must not be left energised and unattended in Zone 20 areas.



IECEX Certificate of Conformity

Certificate No.: IECEx BAS 06.0001X

Date of Issue: 2016-12-02

Issue No.: 7

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Variation 7.1

To permit the use of new materials and to permit the addition of protection concept "op is".

ExTR: GB/BAS/ExTR16.0256/00

File Reference: 16/0143